

SECTEX



SPARK36

SPARK36GB6TEC02HC-37_38



GIACCONE IMPERM. HV DEL COMPLETO
ARCO ELET MULTIPROTEZIONE CEI EN
61482 CL 2 7KA - COL. GIALLO FLUO E
BLU SCURO BANDE RIFRANGENTI
MICROSFERA GRIGIE IGNIFUGHE CUCITE
TESSUTO DRILL PESO GR. MQ. 240 +-5%
COMPOSIZ. 51%PPAN-FR 43%CELL

NORME



DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 343:2008



UNI EN 13034:09




UNI EN 1149-5:2008



UNI EN ISO 20471:17

COLORI



HUSAIB800TEC06-TRFR-38



CORPETTO IGNIFUGO PER GIACCONE -
COL. BLU SCURO TESSUTO FR TELA
54%MO 45%CO 1%AS PESO GR. MQ. 140
+-5% + OVATTA FR

NORME



Accessorio
compatibile
a capi
Antincendio

COLORI



SPARK12GB6TEC02-37_38



GIUBBINO HV LEGGERO DEL COMPLETO ARCO ELET MULTIPROTEZIONE CEI EN 61482 CL 2 7KA - COL. GIALLO FLUO E BLU SCURO BANDE RIFRANGENTI MICROSFERA GRIGIE IGNIFUGHE CUCITE TESSUTO DRILL 51%PPAN-FR 43%CELLULOSIC 5%PARA-ARAMIDICA 1%SC GR MQ

NORME



DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09




UNI EN 1149-5:2008



UNI EN ISO 20471:17

COLORI



SPARK12PB6TEC02-37_38



PANTALONE HV LEGGERO DEL COMPLETO ARCO ELET MULTIPROTEZIONE CEI EN 61482 CL 2 7KA - COL. GIALLO FLUO E BLU SCURO BANDE RIFRANGENTI MICROSFERA GRIGIE IGNIFUGHE CUCITE TESSUTO DRILL 51%PPAN-FR 43%CELLULOSIC 5%PARA-ARAMIDICA 1%SC GR MQ

NORME



DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09




UNI EN 1149-5:2008



UNI EN ISO 20471:17

COLORI



SECCURTECH



WARM100

WARM100GHAN-39_10



GIACCA IMPERM. DEL COMPLETO ARCO ELETTRICO MULTIRISCHIO - COL. GRIGIO SCURO GIALLO TESSUTO GORETEX FR ARMATURA SAIA COMP. 52% MO 42% CO 6% PL + STRATO FUNZIONALE PTFE PESO GR. MQ. 275

NORME



DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09



UNI EN 1149-5:2008



UNI EN 343:2008

COLORI



WARM100PHAN-39_10



COPRIPANTALONE IMPER. DEL COMPLETO ARCO ELETTRICO MULTIRISCHIO - COL. GRIGIO E GIALLO TESSUTO GORETEX FR ARMATURA SAIA COMP. 52% MO 42% CO 6% PL + STRATO FUNZIONALE PTFE PESO GR. MQ. 275

NORME



DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09



UNI EN 1149-5:2008



UNI EN 343:2008

COLORI



HEAT79GTEC02-39_P10



**GIUBBINO LEGGERO DEL COMPLETO
ARCO ELET MULTIPROTEZIONE CEI EN
61482 CL 2 7KA - COL. TESSUTO DRILL
51%PPAN-FR 43%CEL 5%PARA-ARAMIDICA
1%SC GR. 240 MQ**

NORME

DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09



UNI EN 1149-5:2008

COLORI

HEAT79PTEC02-39_P10



**PANTALONE LEGGERO DEL COMPLETO
ARCO ELET MULTIPROTEZIONE CEI EN
61482 CL 2 7KA - COL. TESSUTO DRILL
51%PPAN-FR 43%CEL 5%PARA-ARAMIDICA
1%SC GR. 240 MQ**

NORME

DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09



UNI EN 1149-5:2008

COLORI

HEAT100GTEC02-21_27



GIUBBINO LEGGERO DEL COMPLETO ARCO ELET MULTIPROTEZIONE CEI EN 61482 CL 2 7KA - COL. AZZURRO E ARANCIO TESSUTO DRILL 51%PPAN-FR 43%CEL 5%PARA-ARAMIDICA 1%SC GR. 240 MQ

NORME

DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09



UNI EN 1149-5:2008

COLORI

HEAT100PTEC02-21_27



PANTALONE LEGGERO DEL COMPLETO ARCO ELET MULTIPROTEZIONE CEI EN 61482 CL 2 7KA - COL. AZZURRO E ARANCIO TESSUTO DRILL 51%PPAN-FR 43%CEL 5%PARA-ARAMIDICA 1%SC GR. 240 MQ

NORME

DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612:15



UNI EN 11611:15



UNI EN 13034:09



UNI EN 1149-5:2008

COLORI

HEAT89GTEC02-TRAE-38_37



GIUBBINO DEL COMPLETO PESANTE
ARCO ELETTRICO INVER.
MULTIPROTEZIONE - COL. BLU E GIALLO
FLUO TESSUTO
DRILL 51%PPAN-FR 43%CEL
5%PARA-ARAMIDICA 1%SC GR. 240 MQ
FODERA TRAPUNTATA 54%MO 45%CO
1%AS + PFI 50 MELANIN RESIN 25% M/A
25% PARAM

NORME

DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612.15



UNI EN 11611.15



UNI EN 13034:09



UNI EN 1149-5:2008

COLORI

HEAT89PTEC02-TRAE-38_37



PANTALONE DEL COMPLETO PESANTE
ARCO ELETTRICO INVER.
MULTIPROTEZIONE - COL. BLU E GIALLO
FLUO TESSUTO
DRILL 51%PPAN-FR 43%CEL
5%PARA-ARAMIDICA 1%SC GR. 240 MQ
FODERA TRAPUNTATA 54%MO 45%CO
1%AS + PFI 50 MELANIN RESIN 25% M/A
25% PARA

NORME

DPI 3° CAT



CEI EN 61482-1-2:08



UNI EN ISO 11612.15



UNI EN 11611.15



UNI EN 13034:09




UNI EN 1149-5:2008

COLORI

URANO60-40

CINTURONE CON NASTRO IGNIFUGO
CHIUSURA A VELCRO SENZA METALLI
COMPAT. ARCO ELETTRICO - COL. NERO



NORME



ACCESSORIO
COMPATIBILE
CON CAPI
CERTIFICATI
ARCO ELETTRICO

COLORI



07603-00

GUANTO DIELETTRICO 2.500 V (1 PA.) -
COL. NEUTRO/B.CO NAT.



NORME



CEI 903-02

DPI 3° CAT.

COLORI

